

Work Order ID 147490 - 2

Thursday, June 09, 2016 8:39:55 AM

Split 2 - *147490*

Page 1

Item ID: 647.3914

Revision ID:

Item Name: Breakaway Tip. Long

Start Date: 5/30/2016 Start Qty: 6.00

Required Date: 6/8/2016 Req'd Qty: 6.00

Reference:

Approvals: Process Plan: MJS

QC:

Date: JUN 10 2016 Tooling:

Date: SPC (Y/N):

N9000040100

Cust Item ID:

Customer:

Setup Start *NS1*

Stop *NS2*

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
647.3900	C2								
100		0.00							
100	BAND SAW								
Bandsaw		0.00				12	0		
Jcaspa Bandsaw	Memo Cut Blank at 14.500"								EAS 7.5 0.00 16/08/26
110		0.00							
110	HAAS CNC VERTICAL MACHINING #1								
HAAS 1		0.00				12	0		
HAAS CNC vertical machine #1	Memo 1-Machine per folio FB315 DWG REV: <u>CB</u> FOLIO REV: <u>AA</u>								EAS 7.5 0.00 16/08/26
	2- deburr and break all sharp edges								(710)

Work Order ID 147490

Thursday, June 09, 2016 8:39:55 AM

147490

Page 2

Item ID: 647.3914

Revision ID:

Item Name: Breakaway Tip Long

Start Date: 5/30/2016 Start Qty: 6.00

Required Date: 6/8/2016 Req'd Qty: 6.00

Reference:

Accept

N900040100

Setup Start ***NS1***

Stop ***NS2***

Cust Item ID:

Customer:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID Tool # Plan Code Accept Qty Reject Qty Reject Number Insp. Stamp

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.00

Quality Control

16/08/26

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.00

Quality Control

DAS 32 9-89 / DAS 45 9-89
16-08-30

140

Outsource process-Anodize per QSI017 4.1.10.1

0.00

140

Outsource4

Memo

0.00

Outsource process - Anodize

Issue P/O to ATG : 33573

1- Black Anodize as per Dwg 647.3900

2- PRIME AS PER DWG. SEE NOTE #9

Certification of Conformity is required

12 SEP 08 2016

DAS 13 9-89

Work Order ID 147490

Thursday, June 09, 2016 8:39:55 AM

147490

Page 3

Item ID: 647.3914

Revision ID:

Item Name: Breakaway Tip, Long

Start Date: 5/30/2016 Start Qty: 6.00

Required Date: 6/8/2016 Req'd Qty: 6.00

Reference:

Accept

N9000040100

Setup Start ***NS1***

Stop ***NS2***

Cust Item ID:

Customer:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

150

Receive & Inspect for Damage & Mat'l Certs

0.00

150

Packaging

Memo

0.00

Packaging

6x Sp169-28

155

QC5- Inspect part completeness to step on W/O

0.00

155

QC

Memo

0.00

Quality Control

6

DAS
38
9-89

SEP 29 2016

180

Identify as per dwg & Stock Location: CC k006

0.00

180

Packaging

Memo

0.00

Packaging

IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV

6 DAS
6
9-89

SEP 29 2016

Work Order ID 147490

Thursday, June 09, 2016 8:39:55 AM

147490

Page 4

Item ID: 647.3914

Revision ID:

Item Name: Breakaway Tip, Long

Start Date: 5/30/2016 Start Qty: 6.00

Required Date: 6/8/2016 Req'd Qty: 6.00

Reference:

Approvals: Process Plan:

QC:

Date:

Date:

Tooling:

SPC (Y/N):

Date:

Date:

Run Start *NR1*

Stop *NR2*

Sequence ID/
Work Center ID

190

190

QC

Quality Control

Operation
Description

QC21- Final Inspection - Work Order Release

Memo

Set Up/
Run Hours

0.00

0.00

Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
---------	--------	-----------	------------	------------	---------------	-------------

DAS
21
9-89

SEP 3 0 2016

DAS
21
9-89

SEP 3 0 2016

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Customer:

Picklist Print

Thursday, June 09, 2016 8:40:01 AM

Work Order ID: 147490

147490

Parent Item: 647.3914

647.3914

Parent Item Name: Breakaway Tip, Long

Start Date: 5/30/2016

Required Date: 6/8/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP REV. A NEW ISSUE JFS 14/06/19 VERIFIED BY: DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6B2 000X00 750		Purchased	No			100	f	27.8383	1.209	7.63579			

M7075T6B2 000X00 750

7075-T6 BAR 2.000" X 0.750"

**

14.6665'

DAS

20 16-08-19
9-89

Location	Loc Qty	Loc Code
MAT001	19.8333	
134327	19.8333	
MAT005	8.005	
m131022	3.33	
m134214	4.675	

8.604'

2.4375'

3.625'

DART AEROSPACE APICAL INDUSTRIES, INC. dba DART AEROSPACE	ENGINEERING CHANGE NOTICE NO. 04948				SHEET 1 OF 2	
	DWG NO. 647.3900	REV: C	PREPARED BY: M. ANDECK	DATE: 05/04/15	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: DEFLECTORS					
APPROVED BY: ENGR <i>[Signature]</i>		MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: CURRENT ORDER		
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE		REASON: REVISED TOLERANCE AND NOTES				ECR: D-15-01


147490MCS
1000-10

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12.
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK;
3. DEBURR AND BREAK ALL SHARP EDGES.
4. IDENTIFY IAW MPP-120.
- 5 APPLY F/N 3 AS REQUIRED TO ALL FAYING SURFACES OF F/N 6, 7 & 8 UPON ASSY.
- 6 MAXIMUM OR MINIMUM DIMENSION AFTER FINISH.
7. .0625 HOLE MAY BE ADDED FOR FINISHING PURPOSES
- 8 FINISH: PRETREAT PR-148 ADHESION PROMOTER, PRIME IAW MIL-P-23377J, TYPE I, CLASS N; 1-2 MIL MAX. APPLY FINISH AFTER ASSEMBLY.
- 9 FINISH: PRETREAT PR-148 ADHESION PROMOTER, PRIME IAW MIL-P-23377J, TYPE I, CLASS N; 1-2 MIL MAX.
- 10 MATERIAL: ALUMINUM 2024-T3 PER AMS-QQ-A-250/4.

SHEET 1, ZONE B1 IS:

11	R	647.3917	2			DOUBLER	10	8
F/N	TC	PART NUMBER	.3903	.3902	.3901	DESCRIPTION	MATERIAL	SPECIFICATION
			QTY					
DOCUMENTS EFFECTED:						CHANGE CATEGORY	DER REVIEW REQUIRED	
☐ PATTERN ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☒ BOM						☐ MAJOR ☒ MINOR	☐ YES ☒ NO	



SECTION AT-AT

SHEET 11, ZONE C1 IS:

APICAL

INDUSTRIES, INC.

ENGINEERING CHANGE NOTICE NO.

04556

SHEET 1 OF 2

DWG NO. 647.3900

REV: C

PREPARED BY D. MEJIA

DATE: 06/10/2014

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: DEFLECTORS

APPROVED BY:

ENGR

MFG

QC

EFF.

NEXT ORDER

TRANSACTION CODES (TC):
A-ADD
R-REVISE
C-CREATE
D-DELETE



REASON: CHANGED P/N, DIMENSIONS & REVISED BOM

ECR:

D-14-04


SHEET 5, ZONE C6 IS:

SHEET 6, ZONE C6 IS:



SHEET 1, BOM IS:

11	R	647.3917	2		DOUBLER	1	8
F/N TC	PART NUMBER	3903	3902	3901	DESCRIPTION	MATERIAL	SPECIFICATION
		QTY					
DOCUMENTS EFFECTED:						CHANGE CATEGORY	DER REVIEW REQUIRED
☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☒ BOM						☐ MAJOR ☒ MINOR	☐ YES ☒ NO


SHEET 12, ZONE B5 IS:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

1. MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12.
2. FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK;
3. DEBURR AND BREAK ALL SHARP EDGES.
4. IDENTIFY IAW MPP-120.
5. APPLY F/N 3 AS REQUIRED TO ALL FAYING SURFACES OF F/N 6, 7 & 8 UPON ASSY.
6. MAXIMUM OR MINIMUM DIMENSION AFTER FINISH.
7. .0625 HOLE MAY BE ADDED FOR FINISHING PURPOSES
8. FINISH: PRETREAT PR-148 ADHESION PROMOTER, PRIME IAW MIL-P-23377J, TYPE I, CLASS N; 1-2 MIL MAX. APPLY FINISH AFTER ASSEMBLY.
9. FINISH: PRETREAT PR-148 ADHESION PROMOTER, PRIME IAW MIL-P-23377J, TYPE I, CLASS N; 1-2 MIL MAX.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
	LAST PROTOTYPE RELEASE: P81		N/C
N/C	INITIAL RELEASE	05/10/09	P. BRAVO
A	INCORPORATED ECN 02864, 03039 & 03095	07/24/12	P. BRAVO
B	INCORPORATED ECN 64025	06/02/13	P. BRAVO
C	INCORPORATED ECN 04556, 04948 & 04930	11/18/13	P. BRAVO








UNINCORPORATED ECN(s)

04556, 04948,

6			12	601.3072	RIVET	CR3213-6-9		
2			11	647.3917	DOUBLER			
1			10	647.3916	DEFLECTOR, UPPER HALF	△	△	
1			9	647.3915	DEFLECTOR, LOWER HALF	△	△	
	1		8	647.3914	BREAKAWAY TIP LONG	△	△△	
		1	7	647.3913	BREAKAWAY TIP MEDIUM	△	△△	
	1	1	6	647.3912	LOWER DEFLECTOR	△	△△	
			5	647.3911	212 UPPER DEFLECTOR	△	△△	
			4	647.3910	412 UPPER DEFLECTOR	△	△△	
A/R	A/R	A/R	3	601.2045	RTV, LOCTITE 598		△	
	3	2	2	601.3074	RIVET	MS20470AD 6-12		
			1		DELETED			
X				647.3903	DEFLECTOR ASSY			△
	X			647.3902	LOWER DEFLECTOR ASSY HIGH			
		X		647.3901	LOWER DEFLECTOR ASSY LOW			
.3903	.3902	.3901	FIND #	PART #	DESCRIPTION	MAT'L	SPEC	
QTY				PARTS LIST				
NEXT ASSY (S)				ORIGINAL DATE: 05-10-09				
647.3800				DRAWN BY: D. SCHUP				
				CHECKED BY: D. BRAUER				
				DRAWING APPROVAL: P. BRAVO				
				CONTRACT NO.				
				UNLESS OTHERWISE SPECIFIED: TOLERANCES ARE: 1. PLACES DECIMALS 1.01 2. PLACES DECIMALS 0.005 3. ANGLES 1.5°				
				APICAL INDUSTRIES				
				2608 TEMPLE HEIGHTS DR.				
				OCEANSIDE, CA. 92056-3512 (760)724-5300				
				DEFLECTORS				
				REV. C				
				SCALE: NONE				
				SHEET 1 OF 12				

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




647.3911

ORIGINAL DATE UNLESS OTHERWISE SPECIFIED DRAWN BY: JSC/HR CHECKED BY: JSC/HR DESIGNED BY: JSC/HR DRAWING APPROVAL: BY: JSC/HR DATE: 10/10/06		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ± 5°		SIZE: 11x17 DWG NO: 647.3900 SCALE: NONE	REV: C SHEET: 2 OF 12


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

.125 X 44.9°


SECTION E-E




DETAIL D



647.3910




DETAIL F




ORIGINAL DATE (MM-DD-YY) 09-30-09		APICAL INDUSTRIES	
DRAWN BY D. SCHUR	CHECKED BY D. BAKER	2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
DRAWING APPROVAL P. BRAY		DEFLECTORS	
CONTRACT NO.		SET C494 C004	DWG. NO. 647.3900
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 3 PLACE DECIMALS ±.01 4 PLACE DECIMALS ±.005 ANGLES ± 5°		REV. B 07/12/16	REV. C
SCALE: NONE		SHEET 3 OF 12	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




SECTION L-L




DETAIL H




SECTION M-M





DETAIL J



DETAIL K




647.3912




ORIGINAL DATE (M/D/Y) 08/10/09		APICAL INDUSTRIES	
DRAWN BY: C. SCHUP		2608 TEMPLE HEIGHTS DR.	
CHECKED BY: J. BRADY		OCEANSIDE, CA. 92056-3512 (760) 724-5300	
DRAWING APPROVAL		DEFLECTORS	
P. BRADY		SCALE: NONE	
DATE: 08/10/09		SHEET: 4 OF 12	
UNLESS OTHERWISE SPECIFIED		SEE CAGE CODE	
DIMENSIONS ARE IN INCHES		B. 07M16	
TOLERANCES ARE:		DWG. NO. 647.3900	
1. FRACTIONS 1/16"		REV. C	
2. DECIMALS .001"			
3. ANGLES .1°			


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.





SECTION N-N



SECTION AD-AD



647.3913




ORIGINAL DATE (MM-DD-YY) 06-10-06 DRAWN BY D. SCHUP CHECKED BY D. BAPPA DRAWING APPROVAL P. BRAVO CONTRACT NO.		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 1. FRACTIONS DECIMALS ±.01 2. PLACES DECIMALS ±.001 3. PLACES DECIMALS ±.005 ANGLES ±.5°		SEE CAGE CODE B D7M26	DWG. NO. 647.3900 SCALE NONE
		REV C	SHEET 5 OF 12



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

.175 X 45.0° TYP

SECTION T-T



SECTION AB-AB




647.3914

8.618

ORIGINAL DATE (MM-DD-YY)		APICAL INDUSTRIES	
DRAWN BY: D.SCHUR		2608 TEMPLE HEIGHTS DR.	
CHECKED BY: D.BASHER		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL P. BRADY		DEFLECTORS	
CONTRACT NO.		647.3900	
SHEET B	CAGE CODE 07M26	DWG. NO. 647.3900	REV. C
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°		SCALE: NONE	
		SHEET 6 OF 12	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED



647.3903


ORIGINAL DATE		2005-11-10		2005-11-10	
DRAWN BY		J. WEEGER		J. WEEGER	
CHECKED BY		J. WEEGER		J. WEEGER	
DRAWING APPROVAL		J. WEEGER		J. WEEGER	
BY		J. WEEGER		J. WEEGER	
DATE		2005-11-10		2005-11-10	
CONTRACT NO.					
UNLESS OTHERWISE SPECIFIED (DIMENSIONS ARE IN INCHES) TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.001 ANGLES ±.5°		REV	CA OF CODE	DWG. NO.	REV
		B	07/2006	647.3900	C
		SCALE: NONE			SHEET 7 OF 12

APICAL INDUSTRIES

2605 TEMPLE HEIGHTS DR.
OCEANSIDE, CA 92056-3512 (760)724-5300


DEFLECTORS

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




ORIGINAL DATE (MM-DD-YY) 05-10-01		APICAL INDUSTRIES	
DESIGNED BY JCCEB		2608 TEMPLE HEIGHTS DR.	
CHECKED JDA/RSY		OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL P. BEAVO		DEFLECTORS	
BY JDA/RSY		SCALE NONE	
CONTRACT NO.		SHEET 8 OF 12	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE 2 PLACE DECIMALS 1:20 3 PLACE DECIMALS 1:50 ANGLES 1°		SET CAGA CODE B 07M26	DWG NO. 647.3900

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.




ORIGINAL DATE (MM-DD-YY) OF IDOS		APICAL INDUSTRIES	
DRAWN BY	CHECKER	2608 TEMPLE HEIGHTS DR.	
DRAWN BY	CHECKER	OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL		DEFLECTORS	
P. MARYO		UNLESS OTHERWISE SPECIFIED	
CONTRACT NO.		DIMENSIONS ARE IN INCHES	
		TOLERANCES ARE:	
		2 PLACE DECIMAL ± .01	
		3 PLACE DECIMAL ± .005	
		ANGLES ± 5°	
SHEET	CAGE CODE	DWG. NO.	REV.
8	07M26	647.3900	C
SCALE: NONE		SHEET 9 OF 12	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



4X $\varnothing .196 \pm .010$ THRU ALL
 $\checkmark \varnothing .385 \pm .020 \times 100^\circ \pm 1.000^\circ$




DETAIL AK


647.3915

ORIGINAL DATE 10-04-1971 09-10-01		APICAL INDUSTRIES	
DRAWN BY D.JCHUP	CHECKED D.BARKER	2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL P. BAILEY 06-10-02		DEFLECTORS	
CONTRACT NO.		NET B	REV C
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS $\pm .01$ 3 PLACE DECIMALS $\pm .002$ ANGLES $\pm .5^\circ$		CAGE CODE 07M26	DWG. NO. 647.3900
SCALE NONE		SHEET 10 OF 12	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



647.3916



SECTION AT-AT

ORIGINAL DATE
10-04-79
DRAWN BY
DSCUR
CHECKED
DSCUR
DRAWING APPROVAL
P. BRAVO
DESIGNED
CONTRACT NO.


APICAL INDUSTRIES
2608 TEMPLE HEIGHTS DR.
OCEANSIDE, CA. 92056-3512 (760)724-5300

DEFLECTORS

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
2 PLACE DECIMALS ±.01
3 PLACE DECIMALS ±.002
ANGLES ±.5°

SHEET	CAGE CODE	DWG. NO.	REV.
B	07M16	647.3900	C
SCALE NONE			SHEET 11 OF 12

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



ORIGINAL DATE (MM/CC/YY) OF 10-06	APICAL INDUSTRIES		
DRAWING NO. 0100010	2608 TEMPLE HEIGHTS DR.		
DESIGNED BY J. B. BAKER	OCEANSIDE, CA. 92056-3312 (760)724-5300		
DESIGNING APPROVAL R. B. BAKER	CONTRACT NO.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND FRACTIONS 2 PLACE DECIMALS 1:1 3 PLACE DECIMALS 1:50 4 PLACE DECIMALS 1:200	SIZE	CAGE CODE	DWG NO.
		DTM26	647.3900
	SCALE	1/4"=1"	SHEET 6 OF 12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO33573

Purchase Order Date 9/8/2016
PO Print Date 9/13/2016

Page Number 3 of 4

VC-ATG001

Order From :

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

613-446-4544

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total:

\$43.75

7 150656

✓ 646.3719 DOUBLER
REV. A

9/22/2016

Yes

9/22/2016

7.00

\$6.25

\$43.75

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

8 147490

✓ 647.3914 BREAKAWAY
TIP REV. C

9/22/2016

Yes

9/22/2016

12.00

\$11.55

\$138.60

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

Line Total:

\$138.60

9 150172

✓ 02348 WEARPLATE
REV. C

9/22/2016

Yes

9/22/2016

13.00

\$9.62

\$125.00

black Anodize per MIL-A-8625F Type I or IB or IC or II or IIB Class 2

Note:

9/13/2016



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 912311

Date: 27-Sep-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	Primer, MIL-P-23377J, TYPE 1, CLASS N Job: 20088 PO: 33573 Line: 6		
7 ea	Part: 646.3719 Rev: A Doubler Hard Anodize, Type III, Class 2 (MIL-A-8625) Primer, MIL-P-23377J, TYPE 1, CLASS N Job: 20089 PO: 33573 Line: 7		
6 ea	Part: 647.3914 Rev: C Breakaway Hard Anodize, Type III, Class 2 (MIL-A-8625) Primer, MIL-P-23377J, TYPE 1, CLASS N Job: 20090 PO: 33573 Line: 8		
DATE: <u>27/9/16</u> CERTIFIED SIGNATURE: <u>[Signature]</u> RECEIVER SIGNATURE: _____			
Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.			
CERTIFICATE OF CONFORMANCE			
A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.			
MADE IN CANADA.			